Author index

Akamatsu, Y., see Yoshikawa, W. (944) 321
Akutsu, H., see Yoshikawa, W. (944) 321
Allo, S., see Harada, H. (944) 273
Amit, N., Trung, P.H., Sourbier, P., Marquetty, C. and Hakim, J.
Role of cytochrome *b*-559 in arachidonic acid activation of resting human neutrophils (944) 437
Apell, H.-J., see Läuger, P. (944) 451
Armbrecht, H.J., Doubek, W.G. and Porter, S.B.
Calcium transport by basal lateral membrane vesicles from rat small intestine decreases with age (944) 367
Arumugam, S., see Riddell, F.G. (944) 279
Azuma, J., see Harada, H. (944) 273

Bammel, B.P., see Fumero, J. (944) 164
Barchfeld, G.L. and Deamer, D.W.
Alcohol effects on lipid bilayer permeability to protons and potassium: relation to the action of general anesthetics (944) 40
Baumann, U., see Dhathathreyan, A. (944) 265
Bear, C.E., Davison, J.S. and Shaffer, E.A.
Intracellular pH influences the resting membrane potential of isolated rat hepatocytes (944) 113
Beaugé, L., see Campos, M. (944) 242
Birch-Machin, M.A. and Dawson, A.P.
Ca^{2+} transport by rat liver plasma membranes: the transporter and the previously reported Ca^{2+}-ATPase are different enzymes (944) 308
Bonilla-Marín, M., see Moreno-Bello, M. (944) 97
Bottega, R., see Epand, R.M. (944) 144
Brasitus, T.A., see Halline, A.G. (944) 101
Breitbart, H., see Zarca, A. (944) 351
Burckhardt, G., see Sabolić, I. (944) 191
Busath, D.D. and Hayon, E.
Ultraviolet flash photolysis of gramicidin-doped lipid bilayers (944) 73

Campos, M. and Beaugé, L.
Binding of manganese ions to the Na^+/K^+-ATPase during phosphorylation by ATP (944) 242
Chapman, D., see Jackson, M. (944) 497
Chiu, D., see Van den Berg, J.J.M. (944) 29
Cornelius, F. and Skou, J.C.
The sided action of Na^+ on reconstituted shark Na^+/K^+-ATPase engaged in Na^+–Na^+ exchange accompanied by ATP hydrolysis. II. Transmembrane allosteric effects on Na^+ affinity (944) 223
Cox, B.G., see Riddell, F.G. (944) 279
Cragoe, Jr., E.J., see Kapus, A. (944) 383
Cragoe, Jr., E.J., see Scoble, J.E. (944) 233
Cruzeiro-Hansson, L. and Mouritsen, O.G.
Passive ion permeability of lipid membranes modelled via lipid-domain interfacial area (944) 63
Csordas, A. and Rybczynska, M.
Critical temperatures for the interaction of free fatty acids with the erythrocyte membrane (944) 155

Darszon, A., see García-Soto, J. (944) 1
Datema, K.P., Spruijt, R.B., Wolfs, C.J.A.M. and Hemminga, M.A.
Deuterium nuclear magnetic resonance investigation of bacteriophage M13 coat protein in dimyristoylphosphatidylcholine liposomes using palmitic acid as a probe (944) 507
Davison, J.S., see Bear, C.E. (944) 113
Dawson, A.P., see Birch-Machin, M.A. (944) 308
Deamer, D.W., see Barchfeld, G.L. (944) 40
De De la Torre, L., see García-Soto, J. (944) 1
DeSimone, J.A., see Persaud, K.C. (944) 49
DeSimone, S.K., see Persaud, K.C. (944) 49
Deuticke, B., see Thelen, P. (944) 285
Deuticke, B., see Thelen, P. (944) 297
Dhathathreyan, A., Baumann, U., Müller, A. and Möbius, D.
Characterization of complex gramicidin monolayers by light reflection and Fourier transform infrared spectroscopy (944) 265
Dobrucki, J.W., see Nettleton, D.O. (944) 315
Dodd, N.J.F., see Nettleton, D.O. (944) 315
D'Onofrio, M., see Grimaldi, S. (944) 13
Doubek, W.G., see Armbrecht, H.J. (944) 367
Douen, A.G., Kacem, R. and Jones, M.N.
Direct interaction of phenylarsine oxide with hexose transporters in isolated rat adipocytes (944) 444
Dreyfus, H., see Leray, C. (944) 79
Dudeja, P.K., see Halline, A.G. (944) 101
Dupeyrat, M., see Saint-Pierre - Chazalet, M. (944) 477
Düzgüneş, N., Newton, C., Fisher, K., Fedor, J. and Papahadjopoulos, D.
Monolayer coupling in phosphatidylserine bilayers: distinct phase transitions induced by magnesium interacting with one or both monolayers (944) 391

Earnest, J.P., see Jones, O.T. (944) 359
Ebata, H., see Nakao, S.-i. (944) 337
Enyedi, Á., see Magócsi, M. (944) 202
Epand, R.M. and Bottega, R.
Determination of the phase behaviour of phosphatidylethanolamine admixed with other lipids and the effects of calcium chloride: implications for protein kinase C regulation (944) 144
Esmann, M. and Skou, J.C.
Temperature-dependencies of various catalytic activities of membrane-bound Na^+/K^+-ATPase from ox brain, ox kidney and shark rectal gland and of $C_{12}E_8$-solubilized shark Na^+/K^+-ATPase (944) 344
Esposito, G., see Tosco, M. (944) 473

Essien, H. and Hwang, K.J.
Preparation of liposomes entrapping a high specific activity of $^{111}In^{3+}$-bound inulin (944) 329
Eubanks, J.H., see Jones, O.T. (944) 359

Faelli, A., see Tosco, M. (944) 473
Fedor, J., see Düzgüneş, N. (944) 391
Ferret, B., see Leray, C. (944) 79
Fex, G. and Johannesson, G.
Retinol transfer across and between phospholipid bilayer membranes (944) 249
Fisher, K., see Düzgüneş, N. (944) 391
Fonyó, A., see Kapus, A. (944) 383
Freysz, L., see Leray, C. (944) 79
Fromherz, P.
Spatio-temporal patterns in the fluid-mosaic model of membranes (944) 108
Fumero, J., Bammel, B.P., Hopkins, H.P. and Smith, J.C.
The effect of potential-sensitive molecular probes on the thermal phase transition in dimyristoylphosphatidyl choline preparations (944) 164
Furois-Corbin, S. and Pullman, A.
Conformation and pairing properties of the N-terminal fragments of trichorzianine and alamethicin: a theoretical study (944) 399

García-Soto, J., Mourelle, M., Vargas, I., De De la Torre, L., Ramírez, E., López-Colomé, A.M. and Darszon, A.
Sea urchin sperm head plasma membranes: characteristics and egg jelly induced Ca^{2+} and Na^{+} uptake (944) 1
Gárdos, G., see Magócsi, M. (944) 202
Gary-Bobo, C.M., see Saint-Pierre - Chazalet, M. (944) 477
Getchell, T.V., see Persaud, K.C. (944) 49
Giganti, M.G., see Grimaldi, S. (944) 13
González-Beltrán, C., see Moreno-Bello, M. (944) 97
Gordon, A.M. and Kanner, B.I.
Partial purification of the sodium- and potassium-coupled L-glutamate transport glycoprotein from rat brain (944) 90
Grimaldi, S., Pascale, E., Pozzi, D., D'Onofrio, M., Giganti, M.G. and Verna, R.
Effect of ouabain binding on the fluorescent properties of the Na^{+}/K^{+}-ATPase (944) 13
Gruber, H.J. and Low, P.S.
Interaction of amphiphiles with integral membrane proteins. I. Structural destabilization of the anion transport protein of the erythrocyte membrane by fatty acids, fatty alcohols, and fatty amines (944) 414
Gruber, H.J.
Interaction of amphiphiles with integral membrane proteins. II. A simple, minimal model for the nonspecific interaction of amphiphiles with the anion exchanger of the erythrocyte membrane (944) 425
Gual, A., see Palés, J. (944) 85

Haase, W., see Sabolić, I. (944) 191
Haeffner, E.W., see Seibicke, S. (944) 487
Hakim, J., see Amit, N. (944) 437
Halline, A.G., Dudeja, P.K. and Brasitus, T.A.
1,2-Dimethylhydrazine-induced premalignant alterations in the *S*-adenosylmethionine/*S*-adenosylhomocysteine ratio and membrane lipid lateral diffusion of the rat distal colon (944) 101
Hamamoto, T., see Nakao, S.-i. (944) 337
Harada, H., Allo, S., Viyuoh, N., Azuma, J., Takahashi, K. and Schaffer, S.W.
Regulation of calcium transport in drug-induced taurine-depleted hearts (944) 273
Haynes, D.H., see Jy, W. (944) 374
Hayon, E., see Busath, D.D. (944) 73
Heck, G.L., see Persaud, K.C. (944) 49
Hemminga, M.A., see Datema, K.P. (944) 507
Hirata, H., see Nakao, S.-i. (944) 337
Hopkins, H.P., see Fumero, J. (944) 164
Horne, W.C., Miettinen, H. and Marchesi, V.T.
Erythrocyte membrane skeleton phosphoproteins: identification of two unrelated phosphoproteins in band 4.9 (944) 135
Hruska, K.A., see Scoble, J.E. (944) 233
Hundal, H.S., see Watt, P.W. (944) 213
Hwang, K.J., see Essien, H. (944) 329

Inaba, M. and Maede, Y.
Correlation between protein 4.1a/4.1b ratio and erythrocyte life span (944) 256
Ipsen, J.H. and Mouritsen, O.G.
Modelling the phase equilibria in two-component membranes of phospholipids with different acyl-chain lengths (944) 121
Issaurat, B. and Teissié, J.
Interaction between a growth-hormone releasing hexapeptide and phospholipids spread as monolayers at the air/water interface (944) 516

Jackson, M., Johnston, D.S. and Chapman, D.
Differential scanning calorimetric and Fourier transform infrared spectroscopic investigations of cerebroside polymorphism (944) 497
Jezierski, A., see Kozubek, A. (944) 465
Johannesson, G., see Fex, G. (944) 249
Johnston, D.S., see Jackson, M. (944) 497
Jones, M.N., see Douen, A.G. (944) 444
Jones, O.T., Eubanks, J.H., Earnest, J.P. and McNamee, M.G.
Reconstitution of the nicotinic acetylcholine receptor using a lipid substitution technique (944) 359
Jy, W. and Haynes, D.H.
Calcium uptake and release characteristics of the dense tubules of digitonin-permeabilized human platelets (944) 374

Kacem, R., see Douen, A.G. (944) 444
Kagawa, Y., see Nakao, S.-i. (944) 337
Kanner, B.I., see Gordon, A.M. (944) 90
Kapus, A., Lukács, G.L., Cragoe, Jr., E.J., Ligeti, E. and Fonyó, A.
Characterization of the mitochondrial Na^{+}–H^{+} exchange. The effect of amiloride analogues (944) 383
Kozubek, A., Jezierski, A. and Sikorski, A.F.
The effect of nonadec(en)ylresorcinol on the fluidity of liposome and erythrocyte membranes (944) 465

Kuret, C.M., see Watt, P.W. (944) 213
Kuypers, F.A., see Van den Berg, J.J.M. (944) 29
Kyogoku, Y., see Yoshikawa, W. (944) 321

Läuger, P. and Apell, H.-J.
Transient behaviour of the Na^+/K^+-pump: Microscopic analysis of nonstationary ion-translocation (944) 451
Leray, C., Ferret, B., Freysz, L., Dreyfus, H. and Massarelli, R.
Effect of exogenous gangliosides on the lipid composition of chick neurons in culture (944) 79
Ligeti, E., see Kapus, A. (944) 383
Lopes, C.M.B., see Wajnberg, E. (944) 185
López, A., see Palés, J. (944) 85
López-Colomé, A.M., see García-Soto, J. (944) 1
Louro, S.R.W., see Wajnberg, E. (944) 185
Low, P.S., see Gruber, H.J. (944) 414
Lubin, B., see Van den Berg, J.J.M. (944) 29
Lukács, G.L., see Kapus, A. (944) 383

MacLennan, P.A., see Watt, P.W. (944) 213
Maede, Y., see Inaba, M. (944) 256
Magócsi, M., Enyedi, Á., Sarkadi, B. and Gárdos, G.
Effects of phosphoinositides on calcium movements in human platelet membrane vesicles (944) 202
Marchesi, V.T., see Horne, W.C. (944) 135
Marquetty, C., see Amit, N. (944) 437
Massarelli, R., see Leray, C. (944) 79
McNamee, M.G., see Jones, O.T. (944) 359
Miettinen, H., see Horne, W.C. (944) 135
Möbius, D., see Dhathathreyan, A. (944) 265
Moreno-Bello, M., Bonilla-Marín, M. and González-Beltrán, C.
Distribution of pore sizes in black lipid membranes treated with nystatin (944) 97
Morse II, P.D., see Nettleton, D.O. (944) 315
Mourelle, M., see García-Soto, J. (944) 1
Mouritsen, O.G., see Cruzeiro-Hansson, L. (944) 63
Mouritsen, O.G., see Ipsen, J.H. (944) 121
Müller, A., see Dhathathreyan, A. (944) 265

Nakao, S.-i., Ebata, H., Hamamoto, T., Kagawa, Y. and Hirata, H.
Solubilization and reconstitution of voltage-dependent calcium channel from bovine cardiac muscle. Ca^{2+} influx assay using the fluorescent dye Quin2 (944) 337
Nettleton, D.O., Morse II, P.D., Dobrucki, J.W., Swartz, H.M. and Dodd, N.J.F.
Distribution of 5-doxylstearic acid in the membranes of mammalian cells (944) 315
Newton, C., see Düzgüneş, N. (944) 391
Nussenzveig, P.A., see Wajnberg, E. (944) 185

Ojcius, D.M., Toon, M.R. and Solomon, A.K.
Is an intact cytoskeleton required for red cell urea and water transport? (944) 19
Op den Kamp, J.A.F., see Van den Berg, J.J.M. (944) 29
Orsenigo, M.N., see Tosco, M. (944) 473

Palés, J., López, A. and Gual, A.
Platelet membrane potential as a modulator of aggregating mechanisms (944) 85
Papahadjopoulos, D., see Düzgüneş, N. (944) 391
Pascale, E., see Grimaldi, S. (944) 13
Persaud, K.C., Heck, G.L., DeSimone, S.K., Getchell, T.V. and DeSimone, J.A.
Ion transport across the frog olfactory mucosa: the action of cyclic nucleotides on the basal and odorant-stimulated states (944) 49
Porter, S.B., see Armbrecht, H.J. (944) 367
Pozzi, D., see Grimaldi, S. (944) 13
Pullman, A., see Furois-Corbin, S. (944) 399

Qju, J.H., see Van den Berg, J.J.M. (944) 29

Ramírez, E., see García-Soto, J. (944) 1
Rennie, M.J., see Watt, P.W. (944) 213
Riddell, F.G., Arumugam, S. and Cox, B.G.
The monensin-mediated transport of Na^+ and K^+ through phospholipid bilayers studied by ^{23}Na- and ^{39}K-NMR (944) 279
Roelofsen, B., see Van den Berg, J.J.M. (944) 29
Rubinstein, S., see Zarca, A. (944) 351
Rudy, B., see Weiner, J.S. (944) 521
Rybczynska, M., see Csordas, A. (944) 155

Sabolić, I., Haase, W. and Burckhardt, G.
Isolation of rat liver endocytic vesicles using the proton pump as a marker (944) 191
Saint-Pierre - Chazalet, M., Thomas, C., Dupeyrat, M. and Gary-Bobo, C.M.
Amphotericin B–sterol complex formation and competition with egg phosphatidylcholine: a monolayer study (944) 477
Sarkadi, B., see Magócsi, M. (944) 202
Schaffer, S.W., see Harada, H. (944) 273
Scoble, J.E., Cragoe, Jr., E.J. and Hruska, K.A.
Na^+–Ca^{2+} exchange and calcium permeability in canine basolateral membrane vesicles: The effects of dibutyryl cAMP and specific inhibitors (944) 233
Seibicke, S., Zimmermann, H.-P. and Haeffner, E.W.
Fusion of lipid vesicles with ascites tumor cells and their lipid-depleted variants. Studies with radioactive- and fluorescent-labeled vesicles (944) 487
Sempuku, K.
Photoinactivation of the thiamin transport system in *Saccharomyces cerevisiae* with azidobenzoyl derivatives of thiamin (944) 177
Shaffer, E.A., see Bear, C.E. (944) 113
Sikorski, A.F., see Kozubek, A. (944) 465
Skou, J.C., see Cornelius, F. (944) 223
Skou, J.C., see Esmann, M. (944) 344
Smith, J.C., see Fumero, J. (944) 164
Solomon, A.K., see Ojcius, D.M. (944) 19
Sourbier, P., see Amit, N. (944) 437
Spruijt, R.B., see Datema, K.P. (944) 507
Swartz, H.M., see Nettleton, D.O. (944) 315

Tabak, M., see Wajnberg, E. (944) 185
Takahashi, K., see Harada, H. (944) 273
Teissié, J., see Issaurat, B. (944) 516
Thelen, P. and Deuticke, B.
Chemo-mechanical leak formation in human erythrocytes upon exposure to a water-soluble carbodiimide followed by very mild shear stress.I. Basic characteristics of the process (944) 285
Thelen, P. and Deuticke, B.
Chemo-mechanical leak formation in human erythrocytes upon exposure to a water-soluble carbodiimide followed by very mild shear stress.II. Chemical modifications involved (944) 297
Thomas, C., see Saint-Pierre - Chazalet, M. (944) 477
Toon, M.R., see Ojcius, D.M. (944) 19
Tosco, M., Orsenigo, M.N., Esposito, G. and Faelli, A.
Na^+/H^+ exchange mechanism in the basolateral membrane of the rat enterocyte (944) 473
Trung, P.H., see Amit, N. (944) 437

Van den Berg, J.J.M., Kuypers, F.A., Qju, J.H., Chiu, D., Lubin, B., Roelofsen, B. and Op den Kamp, J.A.F.
The use of *cis*-parinaric acid to determine lipid peroxidation in human erythrocyte membranes. Comparison of normal and sickle erythrocyte membranes (944) 29
Vargas, I., see García-Soto, J. (944) 1
Verna, R., see Grimaldi, S. (944) 13
Viyuoh, N., see Harada, H. (944) 273

Wajnberg, E., Tabak, M., Nussenzveig, P.A., Lopes, C.M.B. and Louro, S.R.W.
pH-dependent phase transition of chlorpromazine micellar solutions in the physiological range (944) 185
Watt, P.W., MacLennan, P.A., Hundal, H.S., Kuret, C.M. and Rennie, M.J.
L(+)-Lactate transport in perfused rat skeletal muscle: kinetic characteristics and sensitivity to pH and transport inhibitors (944) 213
Weiner, J.S. and Rudy, B.
Effects of detergent on the binding of solubilized sodium channels to immobilized wheat germ agglutinin: structural implications (944) 521
Wolfs, C.J.A.M., see Datema, K.P. (944) 507

Yoshikawa, W., Akutsu, H., Kyogoku, Y. and Akamatsu, Y.
A ^{2}H-NMR study on the glycerol backbone of phospholipids extracted from *Escherichia coli* grown under high osmotic pressure: evidence for multiconformations of phosphatidylethanolamine (944) 321

Zarca, A., Rubinstein, S. and Breitbart, H.
Transport mechanism for calcium and phosphate in ram spermatozoa (944) 351
Zimmermann, H.-P., see Seibicke, S. (944) 487